

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| 1 | 2 | (random with sampling) and ((determin\$3 or anal\$9) with database with partition) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 09:46 |
| 3 | 16 | (random with sampling) and ((replicat\$5 or copy\$3) with database) and (@ad<20010702) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/30 10:15 |
| 5 | 3 | (random with sampling) and ((determin\$3 or anal\$9) with database with (partition or size)) and (replicat\$3 or copy\$3) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 09:47 |
| 6 | 13 | (random with sampling) and ((determin\$3 or anal\$9) with database with (partition or size or boundar\$7)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 09:59 |
| 7 | 37 | (random with sampling) and ((determin\$3 or anal\$9) with (database or table) with (partition or size or boundar\$7)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 10:31 |
| 8 | 24 | ((random with sampling) and ((determin\$3 or anal\$9) with (database or table) with (partition or size or boundar\$7)) and (@ad<20010702)) not ((random with sampling) and ((determin\$3 or anal\$9) with database with (partition or size or boundar\$7)) and (@ad<20010702)) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 10:00 |
| 9 | 5 | (random with sampling) and ((determin\$3 or anal\$9) with (database or table) with (partition or size or boundar\$7)) and ((replicat\$3 or copy\$5 or mov\$5) with (database or table)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 10:16 |
| 11 | 7 | ((determin\$3 or anal\$9) with database with partition) and (replicat\$3 with database) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 10:03 |
| 12 | 2 | 6564221.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/30 10:11 |
| 14 | 14 | (random with sampling) and ((determin\$3 or anal\$9) with (database or table) with (partition or size or boundar\$7)) and (distribut\$3 with (database or table)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 10:16 |
| 13 | 94 | (random with sampling) and ((replicat\$5 or copy\$3 or distribut\$3) with database) and (@ad<20010702) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/30 10:31 |
| 15 | 12 | ((replicat\$3 or copy\$5) with database).ab. and ((determin\$3 or anal\$9) with (database or table) with (partition or size or boundar\$7)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 10:34 |
| 17 | 93 | (replicat\$3 with database).ab. and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 10:34 |
| 18 | 76 | (replicat\$3 with database).ab. and (@ad<20010702) and 707/\$.ccls. | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 10:36 |
| 19 | 2 | (replicat\$3 with database).ab. and (sampling) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 10:51 |
| 20 | 44 | ((replicate or replicating) with database) and (sampling) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 11:45 |
| 21 | 19 | ((replicate or replicating) with database).ab. and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 11:12 |
| 22 | 231 | ((replicate or replicating) with database) and 707/\$.ccls. and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 11:50 |

| | | | | |
|----|-----|---|--------------------------------|------------------|
| 23 | 12 | ((replicate or replicating) with database) same ((size or partition or boundar\$5) with database)) and 707/\$.ccls. and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 11:51 |
| - | 1 | "20030004973" | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 11:17 |
| - | 6 | 5511190.pn. or 5675786.pn. or 5970495.pn. or 6049861.pn. or 6092085.pn. or 6128611.pn. | USPAT; US-PGPUB; IBM_TDB | 2004/09/29 19:17 |
| - | 7 | ((database or record\$2 or file\$2) with random with sampling).ab. and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2003/07/26 15:07 |
| - | 129 | ((database or record\$2 or file\$2) with random with sampling) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/01/15 08:30 |
| - | 24 | ((random with sampling) same (replicat\$3 or reproduc\$3 or (re adj produc\$3)) same (database or file\$2 or record\$2)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/30 09:29 |
| - | 60 | ((5511190.pn. or 5675786.pn. or 5970495.pn. or 6049861.pn. or 6092085.pn. or 6128611.pn.) or ((random with sampling with (database or file\$2 or record\$2)) and (replicat\$3 or reproduc\$3 or (re adj produc\$3)) or (random with sampling with (database or file\$2 or record\$2)) or ((replicat\$3 or reproduc\$3 or (re adj produc\$3)) and (random with sampling))) and (@ad<20010702) and 707/\$.ccls. | USPAT; US-PGPUB; IBM_TDB | 2003/07/12 13:51 |
| - | 79 | ((random with sampling) same (database or file\$2 or record\$2)) and (replicat\$3 or reproduc\$3 or regenerat\$3 or (re adj produc\$3) or (re adj generat\$3)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2003/07/12 17:39 |
| - | 7 | ((random with sampling) same (database or file\$2 or record\$2)) and (replicat\$3 or reproduc\$3 or regenerat\$3 or (re adj produc\$3) or (re adj generat\$3)) and (@ad<20010702) and 707/\$.ccls. | USPAT; US-PGPUB; IBM_TDB | 2003/07/12 18:22 |
| - | 27 | (random with sampling) and (database with partition\$3) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2003/07/12 20:07 |
| - | 2 | (5511190.pn. or 5675786.pn. or 5970495.pn. or 6049861.pn. or 6092085.pn. or 6128611.pn.) and (random with sampl\$3) | USPAT; US-PGPUB; IBM_TDB | 2003/07/12 18:56 |
| - | 7 | ((replicat\$3 or copy\$3 or reproduc\$3 or regenerat\$3 or (re adj produc\$3) or (re adj generat\$3)) with (part\$3 or selectiv\$5) with database).ab. and (replicat\$3 with database) and (@ad<20010702) and 707/\$.ccls. | USPAT; US-PGPUB; IBM_TDB | 2003/08/09 13:19 |
| - | 66 | (random\$3 with sampl\$5) and ((replicat\$3 or reproduc\$3 or (re adj produc\$3) or cop\$5) with database) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2003/07/26 20:59 |
| - | 25 | ((analy\$5 or comput\$3 or calculat\$3 or determin\$3 or report\$3) with partition\$3 with size) and (random\$3 with sampl\$5) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2003/08/09 13:18 |
| - | 44 | ((replicat\$3 or copy\$3 or reproduc\$3 or regenerat\$3 or (re adj produc\$3) or (re adj generat\$3)) with partition with database) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2003/08/09 13:53 |
| - | 29 | (random with sampling) and (database with (replicat\$5 or cop\$5 or partition\$3)) and (@ad<20010702) and 707/\$.ccls. | USPAT; US-PGPUB; IBM_TDB | 2003/08/10 15:59 |
| - | 1 | 5179699.pn. and (partition with boundar\$5) | USPAT; US-PGPUB; IBM_TDB | 2003/08/10 18:07 |
| - | 403 | (random with sampl\$3 with (database\$2 or table\$2)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/01/15 08:33 |

| | | | | |
|---|-----|---|---|------------------|
| - | 40 | (random with sampl\$3 with ((build adj in) or (built adj in) or integrat\$5 or includ\$3 or "have" or "has" or "having") with (database\$2 or table\$2)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/29 18:02 |
| - | 5 | ((random near2 sampl\$3) same (database\$2 near3 manag\$9)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 10:02 |
| - | 82 | (random near2 sampl\$3) and ((database or data) with mining) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 10:27 |
| - | 2 | ((random near2 sampl\$3) with (integrat\$3 or part or ((build or built) adj in)) with database) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 11:04 |
| - | 410 | (sampling with database) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 11:06 |
| - | 57 | (sampling same (database near3 manag\$9)) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 11:07 |
| - | 10 | (sampling same (database near3 manag\$9) same partition\$3) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 11:07 |
| - | 1 | 5710915.pn. | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 11:15 |
| - | 1 | 6253300.pn. | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 11:18 |
| - | 1 | 5950185.pn. | USPAT; US-PGPUB; IBM_TDB | 2004/02/06 12:13 |
| - | 1 | "20030004944" | USPAT; US-PGPUB; IBM_TDB | 2004/09/29 16:11 |
| - | 0 | (random with sampl\$3 with ((build adj in) or (built adj in) or integrat\$5 or includ\$3 or "have" or "has" or "having") with database\$2 with management) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/29 18:41 |
| - | 11 | (random with sampl\$3 with ((build adj in) or (built adj in) or integrat\$5 or includ\$3 or "have" or "has" or "having") with database\$2) and (@ad<20010702) | USPAT; US-PGPUB; IBM_TDB | 2004/09/29 18:03 |
| - | 21 | (sampling with ((build adj in) or (built adj in) or integrat\$5 or includ\$3 or incorporat\$3 or "have" or "has" or "having") with database\$2) and (@ad<20010702) and 707/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/29 18:58 |
| - | 0 | ((build adj in) or (built adj in) or integrat\$5 or includ\$3 or incorporat\$3) with database\$2 with (management or system) with (less or few\$5) with ((function near2 call) or (input near3 output) or "i/o" or "I/O")) and (@ad<20010702) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/29 19:01 |
| - | 11 | 5511190.pn. or 5675786.pn. or 5970495.pn. or 6049861.pn. or 6092085.pn. or 6128611.pn. or 5179699.pn. or 5675786.pn. or 6185559.pn. or 5710915.pn. or 6253300.pn. or 6542886.pn. | USPAT; US-PGPUB; IBM_TDB | 2004/09/29 19:19 |